

**RESOLUTION No. 2016-19**

**A RESOLUTION OF THE BOARD OF TRUSTEES OF THE NORTH TOOELE FIRE PROTECTION SERVICE DISTRICT TO ADOPT THE 2017 TENTATIVE BUDGET.**

**WHEREAS**, Utah Code Annotated, Section 17B-1-607 requires that on or before the first regularly scheduled meeting in November, the budget officer shall prepare for the ensuing year and file with the Board of Trustees a tentative budget for each fund which a budget is required; and

**WHEREAS**, the District Administrator, in the function as budget officer, has prepared and submitted to the Board of Trustees a tentative budget for each fund for the ensuing year; and

**WHEREAS**, the Board of Trustees has reviewed and considered the tentative budget and desires to tentatively adopt the same and establish a time and place of a public hearing to consider adoption of a final budget.

**NOW, THEREFORE, BE IT RESOLVED** by the Board of Trustees of the North Tooele Fire Protection Service District, to adopt the 2017 Tentative budget for each fund.

**IT IS FURTHER RESOLVED** that a public hearing to consider the adoption of the North Tooele Fire Protection Service District budget for 2017 shall be held on the 15<sup>th</sup> day of December, 2016 at 7:30pm at the Stansbury Park Fire Station, 179 Country Club, Stansbury Park, UT. The District Administrator shall cause notice of a public hearing to consider the adoption of the final budget to be published at least seven days prior to the hearing in at least one issue of the Tooele Transcript Bulletin, a newspaper of general circulation published in Tooele County.

This resolution shall take immediate effect upon its adoption and approval.


**ADOPTED AND APPROVED** this 17<sup>th</sup> day of November, 2016.


AYES: Faye Hall, Ken Aldridge, Russell Yates, Rick Pollock, Bryan Larsen

NAYES:

ABSENT:

ATTEST:

  
\_\_\_\_\_  
Cassandra Ray  
Assistant Chief/District Administrator  
North Tooele Fire District

  
\_\_\_\_\_  
Faye Hall  
Board Chair  
Board of Trustees